SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY 1.1 Product name : MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE 1.2 Identified uses Lubricants and additives • : None known. Uses advised against Dow Corning Europe S.A. 1.3 Company rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe Belgium E-mail address (Safety sdseu@dowcorning.com • **Data Sheet**) **Customer Service** English Tel: +49 611237507 • Deutsch Tel: +49 611237500 Français Tel: +32 64511149 Italiano Tel: +32 64511170 Español Tel: +32 64511163 Fax: +32 64888683 1.4 Emergency Phone Dow Corning (Barry U.K. 24h) Tel: +44 1446732350 : Tel: +49 61122158 Number Dow Corning (Wiesbaden 24h) Dow Corning (Seneffe 24h) Tel: +32 64 888240

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according to EEC Directive

R-phrases
: R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases
: S24/25 Avoid contact with skin and eyes. S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture of inorganic and organic compounds

According to EU Directives 67/548/EEC or 1999/45/EC:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification	
White mineral oil (petroleum)	8042-47-5	232-455-8	-	57.0	Substance with a Community workplace exposure limit	
Zinc oxide	1314-13-2	215-222-5	-	1.9	Ν	R50/53
According to Regulation	on (EC) No. 127	/2/2008:				
Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification	
White mineral oil (petroleum)	8042-47-5	232-455-8	-	57.0	Substance with a C limit	Community workplace exposure

1.9

Acute aquatic hazard: Category 1 - H400 Chronic aquatic hazard: Category 1 - H410

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

1314-13-2

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

4. FIRST AID MEASURES

Zinc oxide

4.1 Description of First Aid Measures:

On contact with eyes	:	Flush with water.
On skin contact	:	Flush with water.
If inhaled	:	Remove to fresh air.
On ingestion	:	Do not induce vomiting. Obtain medical attention.

215-222-5

-

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

RE-FIGHTING MEASUR	ES	
Suitable extinguishing media	:	On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.
Unsuitable extinguishing media	:	None known.
Hazards during fire fighting	:	None known.
Hazardous Combustion Products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.
Special protective equipment/procedures	:	A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
	Suitable extinguishing media Unsuitable extinguishing media Hazards during fire fighting Hazardous Combustion Products Special protective	media Unsuitable extinguishing : media Hazards during fire : fighting Hazardous Combustion : Products Special protective :

6. A	CCIDENTAL RELEASE M	EA	SURES
6.1	Personal precautions, protective equipment and emergency procedures	:	Wear proper protective equipment.
6.2	Environmental precautions	:	Do not allow large quantities to enter drains or surface waters.
6.3	Methods and materials for containment and cleaning up	:	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.

7. HANDLING AND STORAG	E	
7.1 Advice on safe handling	:	General ventilation is recommended. Avoid skin and eye contact. Do not breathe spray or mist. Do not empty into drains.
7.2 Advice on storage	:	Do not store with oxidizing agents. Storage temperature: minimum 0 °C, maximum 40 °C
7.3 Specific uses	:	Refer to technical data sheet available on request.

8. EXPOSURE CONTI	ROLS / PERSONAL PRO	TECTION	
8.1 Control paramete	ers		
Name	CAS-No.	Exposure Limits	
		3 of 8	



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

White mineral oil (petroleum)	8	042-47-5 10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
8.2 Exposure controls		
Engineering Controls	:	Ventilation : Refer to Section 7.1
Personal protection equipmer	<u>nt</u>	
Respiratory protection	:	A suitable respirator must be worn if the product is used in any circumstances where an aerosol or mist may be generated, such as during spraying or similar activities. Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or exceeded. Depending on the working conditions, wear a respiratory mask with filter(s) BP or use a self-contained respirator. The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.
Hand protection	:	Chemical protective gloves should be worn where repeated or prolonged contact can occur: Silver shield(TM). 4H(TM). Regarding glove's breakthrough time, contact your chemical protective glove supplier.
Eye/face protection	:	Safety goggles should be worn.
Skin protection	:	Wear impervious overalls in circumstances where significant skin contact can occur.
Hygiene measures	:	Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.
Additional information	:	These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.
<u>Environmental exposure</u> <u>controls</u>	:	Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES				
Form	:	Paste		
Colour	:	White		
Odour	:	Slight		
Flash point	:	> 200 °C (Closed Cup)		
Explosive properties	:	No		
Specific Gravity	:	1.15		
		A of 9		



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

Oxidizing properties :

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

No

10. STABILITY AND REACTIV	VIT	Y
10.1 Reactivity	:	None known.
10.2 Stability	:	Stable under normal usage conditions.
10.3 Possibility of hazardous reactions	:	None known.
10.4 Conditions to avoid	:	None established.
10.5 Materials to avoid	:	Can react with strong oxidising agents.
10.6 Hazardous decomposition products	:	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

11. TOXICOLOGICAL INFO	ORMA	TION
Acute toxicity:		
On contact with eyes	:	Slightly irritating.
On skin contact	:	Slightly irritating.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung oedema or pneumonia.
Chronic toxicity:		
On skin contact	:	Can irritate on prolonged or repeated skin contact.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Repeated swallowing may cause gastrointestinal irritation and disturbance.
<u>Toxicokinetics, metabolism</u> and distribution	:	No specific information is available.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

Other Health Hazard
Information:This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the
current physical form of the product, which is not in a respirable form.
This product contains (a) liquid(s) hazardous in the form of aerosol or mist. This is not
relevant to the current physical form of the product, which cannot be aerosolised.
Product may emit formaldehyde vapour at temperatures above 150°C in the presence of
air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to
eyes and the respiratory system. Exposure limits should be strictly respected.

¹ Based on product test data.

² Based on test data from similar products.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity effects

Harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. However, due to the physical form and water-insolubility of the product the bioavailability is negligible.

12.2 Persistence and degradability

Solid material, insoluble in water.

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil

Fate and effects in waste water treatment plants:

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

 Product and packaging disposal
 :
 Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

Not subject to ADR/RID.

Sea transport (IMDG)



According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION

15.1 Safety, health ar	nd environmental regulations/legislation specific for the substance or mixture
<u>Status</u>	
EINECS	: All ingredients listed, exempt or notified (ELINCS).
TSCA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.
AICS	: All ingredients listed, exempt or notified.
IECSC	: All ingredients listed or exempt.
ENCS/ISHL	: All ingredients listed, exempt or notified.
DSL	: All ingredients listed or exempt.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 1.4 Revision Date: 22.06.2012 Superseded date: 19.04.2007

MOLYKOTE(R) P-1900 FM ANTI-SEIZE PASTE

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.,

H400 Very toxic to aquatic life., H410 Very toxic to aquatic life with long lasting effects.